

US00D406329S

United States Patent [19]

Kawamura et al.

[11] Patent Number: Des. 406,329

[45] **Date of Patent:** **Mar. 2, 1999

[54] TRAP PORTION OF A WATER CLOSET

[75] Inventors: Seijiro Kawamura; Minoru Tani;

Hisayasu Sakai, all of Kitakyushu,

Japan

[73] Assignee: Toto Ltd., Japan

[**] Term: 14 Years

[21] Appl. No.: 65,235

[22] Filed: Jan. 27, 1997

Related U.S. Application Data

[62]	Division	of	Ser.	No.	41,751,	Jul.	24,	1995,	Pat.	No.	Des.
	379 496										

[51]	LOC (6) Cl	23-02
[52]	U.S. Cl	D23/309

D23/303-311, 316, 324, 325, 328, 348, 350, 351, 366, 367, 415, 431, 432, 433,

213, 216

[56] References Cited

U.S. PATENT DOCUMENTS

D. 275,514	9/1984	Enthoven .
D. 275,598	9/1984	Stairs, Jr
D. 310,407	9/1990	Stairs, Jr
D. 345,597	3/1994	Kohler, Jr. et al
D. 352,996	11/1994	Sim.
D. 353,450	12/1994	Anderson et al

Primary Examiner—Louis S. Zarfas

Assistant Examiner—Eric Watterson

Attorney, Agent, or Firm—Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P.

[57] CLAIM

The ornamental design for a trap portion of a water closet, as shown and described.

DESCRIPTION

FIG. 1 is a right side perspective view of a trap portion of a water closet embodying our design;

- FIG. 2 is a left side perspective view thereof;
- FIG. 3 is a left elevational view thereof;
- FIG. 4 is a right elevational view thereof;
- FIG. 5 is a riear elevational view thereof;
- FIG. 6 is a right side perspective view of a second embodiment thereof;
- FIG. 7 is a left side perspective view of the second embodiment;
- FIG. 8 is a left elevational view of the second embodiment;
- FIG. 9 is a right elevational view of the second embodiment;
- FIG. 10 is a rear elevational view of the second embodiment;
- FIG. 11 is a right side perspective view of a third embodiment thereof;
- FIG. 12 is a left side perspective view of the third embodiment:
- ment; FIG. 13 is a left elevational view of the third embodiment;
- FIG. 14 is a right elevational view of the third embodiment;
- FIG. 15 is a rear elevational view of the third embodiment;
- FIG. 16 is a right side perspective view of a fourth embodiment thereof;
- FIG. 17 is a left side perspective view of the fourth embodiment;
- FIG. 18 is a left elevational view of the fourth embodiment;
- FIG. 19 is a right elevational view of the fourth embodiment;
- FIG. 20 is a rear elevational view of the fourth embodiment;
- FIG. 21 is a right side perspective view of a fifth embodiment thereof:
- FIG. 22 is a left side perspective view of the fifth embodiment;
- FIG. 23 is a left elevational view of the fifth embodiment;
- FIG. 24 is a right elevational view of the fifth embodiment;
- FIG. 25 is a rear elevational view of the fifth embodiment;
- FIG. 26 is a right side perspective view of a sixth embodiment thereof;
- FIG. 27 is a left side perspective view of the sixth embodiment:
- FIG. 28 is a left elevational view of the sixth embodiment;
- FIG. 29 is a right elevational view of the sixth embodiment; and.
- FIG. 30 is a rear elevational view of the sixth embodiment. The broken lines shown in FIGS. 1–30 are for purpose of showing environmental structure only and form no part of the claimed design.

1 Claim, 18 Drawing Sheets





EXHIBIT A

U.S. Patent Mar. 2, 1999 Sheet 1 of 18 Des. 406,329







EXHIBIT A


U.S. Patent Mar. 2, 1999 Sheet 3 of 18 Des. 406,329


FIG. 5



U.S. Patent


Mar. 2, 1999 Sheet 4 of 18 Des. 406,329






U.S. Patent Mar. 2, 1999 Sheet 6 of 18 Des. 406,329


FIG. 10



U.S. Patent Mar. 2, 1999 Sheet 7 of 18 Des. 406,329










U.S. Patent Mar. 2, 1999 Sheet 9 of 18 Des. 406,329

FIG. 15




U.S. Patent Mar. 2, 1999 Sheet 10 of 18 Des. 406,329






U.S. Patent Mar. 2, 1999 Sheet 12 of 18 Des. 406,329


FIG. 20




U.S. Patent


Mar. 2, 1999 Sheet 13 of 18 Des. 406,329






Des. 406,329







U.S. Patent Mar. 2, 1999 Sheet 15 of 18 Des. 406,329

FIG. 25



U.S. Patent Mar. 2, 1999 Sheet 16 of 18 Des. 406,329





U.S. Patent Mar. 2, 1999 Sheet 18 of 18 Des. 406,329

FIG. 30

